

AMENDMENT TO THE CLAIMS

This listing of the claims will replace all prior versions, and listings, of claims in the application.

1. (Previously presented) Means for fastening, securing or clamping goods or for securing a person, such as a load strap, support strap, tie member, rope, or safety harness, with an information medium permanently attached thereto, wherein the information medium consists of at least one identification medium an insert having high tear strength and a protective casing, which surrounds at least the identification medium, joined as a unit.
2. (Currently Amended) Means according to claim 1, wherein the identification medium means for fastening, securing or clamping goods or for securing a person is rigidly connected to the information medium.
3. (Currently Amended) Means according to claim 2, wherein the identification medium means for fastening, securing or clamping goods or for securing a person is sewn to the information medium.
4. (Currently Amended) Means according to claim 1, wherein the identification medium means for fastening, securing or clamping goods or for securing a person is glued and/or riveted to the information medium.
5. (Previously Presented) Means according to claim 1, wherein the identification medium is readable.
6. (Previously Presented) Means according to claim 5, wherein the identification medium is machine-readable.
7. (Previously Presented) Means according to claim 1, wherein the insert has a higher tear strength than the identification medium.

Amendment after Final Rejection

Application No.: 10/551,871

Filed: November 16, 2006

Page 3 of 6

8. (Previously Presented) Means according to claim 1, wherein the insert consists of a technical textile, especially a fabric.
9. (Previously Presented) Means according to claim 1, wherein the insert is strip-shaped.
10. (Previously Presented) Means according to claim 1, wherein the insert acts on both sides as a carrier of identification media.
11. (Previously Presented) Means according to claim 1, wherein the identification medium is rigidly connected, especially sewn and/or riveted and/or glued, to the insert.
12. (Previously Presented) Means according to claim 1, wherein only a portion of the information medium is connected directly to the fastening or clamping means.
13. (Previously Presented) Means according to claim 1, wherein the protective casing is a tube or a film.
14. (Previously Presented) Means according to claim 1, wherein the protective casing is made of plastics material, especially of polyethylene (PE) or of polyvinyl chloride (PVC).
15. (Previously Presented) Means according to claim 1, wherein the protective casing is transparent.
16. (Previously Presented) Means according to claim 1, wherein the identification medium is a label provided with information.
17. (Previously Presented) Means according to claim 1, wherein the identification medium is a transponder.
18. (Previously Presented) Means according to claim 1, wherein the identification medium is carried by the insert.
19. (Previously Presented) Means according to claim 1, wherein the protective casing is formed as a protective layer with which the identification medium is covered.

Amendment after Final Rejection

Application No.: 10/551,871

Filed: November 16, 2006

Page 4 of 6

20. (Previously Presented) Means according to claim 19, wherein the protective layer is a flexible plastics material.

21. (Previously Presented) Means according to claim 20, wherein the flexible plastics material is a silicone or polyurethane.

22. (Previously Presented) Means according to any one of the preceding claims, wherein all layers of the information medium are surrounded by the protective casing.

23. (Currently Amended) Means according to ~~any one of claims 1-21~~claim 1, wherein the protective casing is made of a UV-resistant material.

24. (Previously Presented) Information medium for marking and permanently attached to a means for fastening, securing or clamping goods, such as a load strap, support strap, tie member, rope, or safety harness, wherein it consists of at least one respective identification medium, an insert having high tear strength and a protective casing, which surrounds at least the identification medium, and is joined as a unit independently of the means.